

WELCOME TO GAUPEN.



Our aim is to make transportation easier for you and to satisfy your requirements over the long term. Drawing on over 50 years of experience, we have now developed a new range of trailers designed to meet the greatest variety of your needs for day-to-day professional use.

Our new Gaupen Master range has been developed with you in mind: our dedicated products and services will be with you every step of the way.

We are proud to present our new models,
Gaupen Master, that are sure to make your daily routine a whole lot easier.

The Gaupen Master range is equipped with a flatbed (wheels underneath), so offering an optimal loading width.

It is suitable for all your transport requirements, all types of loads, lengths and volumes.

Thanks to the folding and removable sides, it will cater for your multiple professional requirements day in day out.



KEY STRENGTHS.



THE GAUPEN OFFERING.

QUALITY AND SAFETY

Our Scandinavian roots have forged a high-quality, robust and durable design for our trailers that meets the many needs of demanding professionals.

All Gaupen Master trailers are braked and equipped with multiple anchor points to ensure your loads are firmly secured in place.

Our quality assurance means we can offer a 10-year quarantee on all chassis.

EASY TO USE

The flat plywood floor and foldable panels let you turn our trailer into a multifunctional loading platform, so maximising and facilitating your load volume. Its front, rear and side panels can be folded down and removed for easy loading and unloading on all sides with a forklift truck. Our flattops ensure an optimum loading width as the wheels are positioned underneath.

WIDE RANGE OF TRAILERS AND ACCESSORIES

For a wide variety of applications, ranging from $2.5\,\mathrm{m}$ to approx. $6\,\mathrm{m}$ and from $1,\!350\,\mathrm{kg}$ to $3.500\,\mathrm{kg}$, with a specific selection intentionally kept simple to make your choice easier.

The Master range offers multiple loading areas and perfect manoeuvrability for heavy-duty professional use. A wide selection of accessories to meet all your specific needs.

DEDICATED CUSTOMER SERVICE

Dedicated professional dealers are on hand to provide advice and information.

Our website at gaupen.com also lets you access our full range of trailers and accessories at any time.

We are committed to ensuring satisfaction with permanent stock availability and fast delivery.

MASTER RANGE.

Standard equipment:

Steel hitch - Brakes - 6 or 8 lashing eyes with noise reducers (depending on model)
- Automatic jockey wheel Ø 60 - 13-pin connection socket

- CHASSIS GUARANTEED FOR 10 YEARS
 Welded and hot-dip galvanised for long-term strength.
- **FOLDING AND REMOVABLE ALUMINIUM SIDE PANELS**Foldable and removable for versatile loading.
 Large load volume with 30 cm high walls.
- WOODEN FLOOR
 Non-slip, for easy unloading.
- V-SHAPED DRAWBAR
 For greater trailer stability. Hot-dip galvanised.
- 5 SAFETY
 High-quality axles and brakes from renowned manufacturers.
- 6 LOAD SECURING

 Multiple lashing rings in the floor to secure your loads.



2 YEARS. THE GAUPEN GUARANTEE.

All our trailers come with a two-year warranty on parts and labour. And our commitment to quality means we can offer you a guarantee of 10 years on all our chassis.

ACCESSORIES. THE ESSENTIALS.

We have designed a wide range of accessories to meet all your professional needs.

MASTER. THE RANGE.



Range			251 series			306	series	335 series			
Item number	25113501	25115001	25118001	251 2000 2	251 2700 2	306 2000 2	306 2700 2	335 2000 2	335 2700 2		
Inside dimensions (cm)			251×148			306	x 148	335 :	×182		
Overall dimensions (cm)		371×154		370	x 154	425	×154	482	×188		
Gross vehicle weight rating (GVWR) (kg)	1350	1500	1800	2 000	2700	2 000	2 700	2 000	2700		
Payload with side panels (kg)	1040	1170	1455	1580	2 280	1540	2240	1455	2155		
Unladen weight with side panels (kg)	310	330	345	420	420	460	460	545	545		
Number of axles	1	1	1	2	2	2	2	2	2		
Loading height (mm)	605	667	667	605	605	605	605	667	667		
Tyre dimensions*	195/55-R10C 98N	195/50-R13C 104N	195/50-R13C 104N	195/55-R10C 98N	195/55-R10C 98N	195/55-R10C 98N	195/55-R10C 98N	195/50-R13C 104N	195/50-R13C 104N		
* minimum speed rating and load index This document is for information only. Inform	nation non-binding.				MPLY PROF	ESSIONAL	GAI	JPEN	GAU		

In its constant quest for quality or in the event of changes to the regulations in force, Gaupen reserves the right to make any technical modifications to its entire range without prior notice.



	Range	series	588	series	508		series	335 series			
	ltem number	588 3500 2	588 3000 2	508 3500 2	508 3000 2	405 3500 2	405 3000 2	405 2000 2 405 2700 2		335 3500 2	335 3000 2
	Inside dimensions (cm)	x 208	588	× 208	508		x 198	335 x 182			
	Overall dimensions (cm)	× 208	755	× 208	675	× 204	559	556 x 204		485 x 188	
	Gross vehicle weight rating (GVWR) (kg)	3 0 0 3 5 0 0		3 000 3 500		3 000 3 500		2700	2 000 2 700		3 000
	Payload with side panels (kg)	2125 2605		2 675	2195 2675		2 375	2 105	1405	2 910	2 430
	Unladen weight with side panels (kg)	875 895		825	805	640	625	595	595	590	570
	Number of axles	2 2		2 2		2 2		2 2		2	2
	Loading height (mm)	674	674	679	679	667	667	667	667	667	667
	Tyre dimensions*	195/50 R13 D30 104N	195/50 R13 D30 104N	195/50 R13 D30 104N	195/50 R13 D30 104N	195/50-R13C 104N	195/50-R13C 104N	195/50-R13C 104N	195/50-R13C 104N	195/50-R13C 104N	195/50-R13C 104N
1000年	* minimum speed rating and load index or information only. Information non-binding.	This document is fo			EN;	GAU					

MASTER. COMPATIBLE ACCESSORIES.



ACCESSORIES:

Range	251 series			306 series		335 series			405 series				508 series		588 series				
ltem number	25113501	25115001	25118001	25120002	251 2700 2	306 2000 2	306 2700 2	335 2000 2	335 2700 2	335 3000 2	335 3500 2	405 2000 2	405 2700 2	40530002	40535002	50830002	508 3500 2	588 3000 2	58835002
Flat tarpaulin	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-
High tarpaulin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
High tarpaulin with sliding curtain	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
Cage extension on aluminium side panel	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Spare wheel	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Spare wheel support	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Spare wheel + support	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Aluminium ramps	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ramp support	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stabiliser leg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ramp support + ramps + legs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Shock absorber	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LED rear lights	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

o: optional -: unavailable

















This document is for information only. Information non-binding.



WWW.GAUPEN.COM INFO@GAUPEN.COM



YOUR DISTRIBUTOR

This document is for information only. All information without engagement. - 'Gaupen' is a registered trademark.

© Edition Gaupen 2024 – All rights reserved Publisher: REMORQUES HUBIERE- 100 RUE PETIT - 75019 PARIS 19 - France - 344 766 258 RCS PARIS No part of this work may be reproduced without the express prior written permission of the publisher.

Production: www.graphyx.be